3	1:39 1:47 1:47 7:10
S-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; D	1:47
### Add	7:10
DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB U	7:10
17 4642756.URPN. and (priority near3 (two or double or plural\$4) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; USPĀ	7:10
double or plural\$4) US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	7:10
EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; JPO; JPO; JPO; JPO; JPO; JPO; J	7:10
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	7:10
TBM_TDB	7:10
US-PGPUB; EPO; JPO; DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	7:10
Table	
DERWENT; IBM TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	
13419	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB US-PGPUB; EPO; JPO;	
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; ISM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;	7:07
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	7:07
TBM_TDB	7:07
Same memory US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; USPAT; US-PGPUB; EPO; JPO;	7:07
EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; D	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	
- 772 15.ab. USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;	
US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DEPO; JPO; DEPO; JPO; DEPO; JPO; DEPO; JPO;	7 ^ ^
- 11 ((priorit\$4 near7 (value or register))	7:06
- 11 ((priorit\$4 near7 (value or register))	
- 11 ((priorit\$4 near7 (value or register)) USPĀT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPĀT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO; DERWENT; US-PGPUB; EPO; JPO;	
same memory) same mmu US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	7.00
- 4009 priorit\$4 near (value or register) EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	7:08
- 4009 priorit\$4 near (value or register) DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	
- 4009 priorit\$4 near (value or register) USPĀT; US-PGPUB; EPO; JPO;	
US-PGPUB; EPO; JPO;	7.11
EPO; JPO;	. / . 11
DERWENT;	
	7:19
US-PGPUB;	
EPO; JPO;	
DERWENT;	
- 691 (priorit\$4 near (value or register)) same USPAT; 2003/03/14 1	7:11
memory US-PGPUB;	
EPO; JPO;	
DERWENT; IBM TDB	
- 186 50.ab. USPĀT; 2003/03/14 1	7:12
US-PGPUB;	
EPO; JPO;	
DERWENT;	
- 19 50.ti. USPĀT; 2003/03/14 1	7:12
US-PGPUB;	
EPO; JPO; DERWENT;	
IBM TDB	
- 1662 (priorit\$4 near3 (value or register)) USPAT; 2003/12/05 1	4:35
same memory US-PGPUB;	
EPO; JPO; DERWENT;	
IBM TDB	
- 73 ((priorit\$4 near3 (value or register)) USP $\overline{\text{AT}}$; 2003/03/14 1	
same memory) same shar\$4 US-PGPUB;	7:20
EPO; JPO; DERWENT;	7:20
IBM TDB	7:20

	52580	cache	USPAT;	2003/03/14 18:40
_	32360	Cache	US-PGPUB;	2003/03/14 16:40
		·	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
	4	("4009470").PN.	USPĀT;	2003/03/14 18:40
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("20020083251").PN.	USPAT;	2003/12/03 10:58
		•	US-PGPUB;	
			EPO; JPO; DERWENT;	
	,		IBM TDB	
_	15418	priority near7 (two or double or plural\$4)	USPAT;	2004/05/13 17:33
			US-PGPUB;	=====================================
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	974	(priority near7 (two or double or	USPAT;	2003/12/03 12:01
		plural\$4)) same arbitrat\$4	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
_	8761	priority near7 (two or double)	IBM_TDB USPAT;	2003/12/03 11:00
-	0,01	priority hear / (two or double)	US-PGPUB;	2003/12/03 11:00
			EPO; JPO;	
			DERWENT;	
		·	IBM TDB	
-	593	(priority near7 (two or double)) same	USPAT;	2003/12/03 12:28
İ		arbitrat\$4	US-PGPUB;	
			EPO; JPO;	
j			DERWENT;	
	1		IBM_TDB	
-	69	((priority near7 (two or double)) same	USPAT;	2003/12/03 12:01
		arbitrat\$4) .ab.	US-PGPUB;	
		·	EPO; JPO;	
			DERWENT; IBM TDB	
_	6169	priority near2 (two or double or plural\$4)	USPAT;	2003/12/03 12:28
	0103	priority hearz (two or double or prarary)	US-PGPUB;	2003/12/03 12.20
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	424	(priority near2 (two or double or	USPĀT;	2003/12/03 12:29
		plural\$4)) same arbitrat\$4	US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
_	7010716	(tue on double on plumples)	IBM_TDB	2002/12/04 12 42
-	1213/16	(two or double or plural\$4) next2 priority	USPAT;	2003/12/04 10:48
			US-PGPUB; EPO; JPO;	
			DERWENT;	,
			IBM TDB	
-	8014331	(two or double or several or plural\$4)	USPAT;	2003/12/04 10:49
		next priority	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3430	(two or double or several or plural\$4)	USPAT;	2003/12/04 10:49
		adj2 priority	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	273	((two or double or several or plural\$4)	USPAT;	2003/12/04 15:13
	[[adj2 priority) same arbitrat\$4	US-PGPUB;	2003/12/04 13:13
]			EPO; JPO;	
1			DERWENT;	
			IBM TDB	
			·	

_	273		USPAT;	2003/12/04 15:13
		adj2 priority) same arbitrat\$4	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	17	rid same tid	IBM_TDB USPAT;	2003/12/04 15:13
_	''	rid same tid	US-PGPUB;	2003/12/04 15:13
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	17	tlb same (RID)	USPAT;	2003/12/04 16:13
		(1.12)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	62	tlb same (pid or rid or cid or cpuid)	USPAT;	2003/12/04 16:00
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	("4638426").PN.	USPAT;	2003/12/04 15:34
	,		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	1	tlb same (cid or cpuid)	USPAT;	2003/12/04 15:35
· ·			US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
	268	cach\$4 same (pid or rid or cid or cpuid)	IBM_TDB USPAT;	2003/12/04 16:01
-	200	cachy4 same (pid of fid of cid of chuld)	US-PGPUB;	2003/12/04 16:01
			EPO; JPO;	
			DERWENT;	
ŀ			IBM TDB	1
_	230	(cach\$4 same (pid or rid or cid or cpuid))	USPAT;	2003/12/04 16:01
		not (tlb same (pid or rid or cid or	US-PGPUB;	
		cpuid))	EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
-	45	cach\$4 same (cid or cpuid)	USPAT;	2003/12/04 16:05
:			US-PGPUB;	
			EPO; JPO;	
	ļ		DERWENT;	
			IBM_TDB	
-	64	1	USPĀT;	2003/12/04 16:05
	1	id))	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_ ·	19	 (cach\$4 same (cid or cpuid or (cpu near	USPAT;	2003/12/04 16:05
		id))) not (cach\$4 same (cid or cpuid))	US-PGPUB;	2003/12/04 10:03
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	5	tlb same (cID or (c near id) or cpuid or	USPAT;	2003/12/04 16:47
İ		(cpu near id))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	1	mesi same (cID or (c near id) or cpuid or	USPAT;	2003/12/04 16:49
		(cpu near id))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	702	(711/144) CCIS	IBM TDB	2002/12/04 16:40
-	/02	(711/144).CCLS.	USPAT; US-PGPUB;	2003/12/04 16:48
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
L		<u> </u>	1 750 155	<u> </u>

_	510	(711/145).CCLS.	USPAT;	2003/12/04 16:49
			US-PGPUB;	
		•	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	, _ ,
-	0	(((711/144).CCLS.) or ((711/145).CCLS.))	USPAT;	2003/12/04 16:49
		same (cID or (c near id) or cpuid or (cpu	US-PGPUB;	
		near id))	EPO; JPO;	
]		DERWENT;	
			IBM_TDB	
-	12	(((711/144).CCLS.) or ((711/145).CCLS.))	USPAT;	2003/12/04 17:04
		and (cID or (c near id) or cpuid or (cpu	US-PGPUB;	
		near id))	EPO; JPO;	
			DERWENT;	
	4	//#E000E22#\	IBM_TDB	2003/12/04 17:05
-	4	(("5809522") or ("5636364")).PN.	USPAT;	2003/12/04 17:05
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
l _	17	tid same rid	USPAT;	2003/12/04 17:37
1	'	CIA SAME IIA	US-PGPUB;	2003/12/04 17.37
			EPO; JPO;	.
			DERWENT;	
			IBM TDB	
_	17	tlb same rid	USPAT;	2003/12/04 17:37
	[US-PGPUB;	,,,,,
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
] -	2	("6633573").PN.	USPAT;	2003/12/05 14:35
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	9458	priority near3 (two or double or plural\$4)	USPAT;	2004/05/16 21:39
			US-PGPUB;	
			EPO; JPO;	
		·	DERWENT;	
	0.511		IBM_TDB	0004/05/40 45 04
-	3611	priority near2 (two or double)	USPAT;	2004/05/13 17:34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	0.5	(priority poor? (two or double)) poor?	IBM_TDB	2004/05/13 19:07
_	85	(priority near2 (two or double)) near2	USPAT;	2004/05/13 19:0/
		Value	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	٥ ا	(priority near2 (two or double)) near2 ech	USPAT;	2004/05/13 19:07
		near2 processor	US-PGPUB;	
	[EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
_	0	(priority near2 (two or double)) near2	USPAT;	2004/05/13 19:08
		each near2 processor	US-PGPUB;	
	ĺ		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	87	(priority near2 (two or double)) near3	USPAT;	2004/05/14 10:33
	1	processor	US-PGPUB;	
			EPO; JPO;	
	1		DERWENT;	
			IBM_TDB	0004/05/14 10 55
-	4163	task\$4 near3 priority	USPĀT;	2004/05/14 10:33
	1		US-PGPUB; EPO; JPO;	
	ĺ		DERWENT;	
	ĺ		IBM TDB	·
L	<u> </u>	<u> </u>	T DE T DB	

- .	4936	(address\$4 or space) near3 priority	USPAT;	2004/05/14 10:34
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	73	(task\$4 near3 priority) same ((address\$4	USPĀT;	2004/05/14 10:34
1		or space) near3 priority)	US-PGPUB;	
		·	EPO; JPO;	•
		,	DERWENT;	
			IBM_TDB	